

TOMPLAST

SINCE 1994



modern solutions in the
construction industry

Our Company is the leading supplier of concrete and plastic spacers in Poland and offers full range of products for construction industry, including reinforcement and carpentry accessories. We deliver our products to many Client and Companies all around Poland using our own fleet or courier services and shipping companies. We invite you to find out more about our offer and download the current catalogue.

Tomplast Company was set up in 1994. Our principal business relates to manufacture of spacers for building industry, but our offer includes also other products. Thanks to dynamic growth we ensure high quality and offer a wide range of products. All offered products for reinforcement and carpentry purposes are available at retail stores and wholesale chains.

We deliver our products to contractors executing the biggest projects in Poland. Moreover our products are highly recognized in Germany, France, Italy, Lithuania and Russia.

Our Sales and Technical Service Department provide support at the phase of product selection and purchase and offer competitive prices. Tomplast not only keeps up with the construction technology and market of building materials, but also applies modern engineering solutions to develop the products and ensure the offer tailored to our client needs.

A dynamic growth of our Company contributes to the development of sales department and warehouses all over Poland. Recently our Company put in operation the department in Wrocław to ensure total availability of products.

All manufactured products undergo periodic tests conducted by Hydrobudowya-1 laboratory. Therefore we guarantee high quality and timely deliveries. Because our main focus is high quality of supplied services, we employ advanced technologies and innovative solutions to meet our clients' demands. All offered concrete spacers feature with the following parameters:

- Compressive strength Class B 50
- Freeze-thaw resistance F=150
- Water resistance W12

Tomplast has been granted the **Technical Approval No. AT/2015-02-3117** issued by the **Institute of Building Technology, the Road and Bridge Research Institute**. The Approval confirmed positive result of assessment and suitability for use in construction industry of: spacers protecting reinforcing steel.

Thanks to our fleet of vans and heavy vehicles, as well as cooperation with courier and shipping companies, we ensure timely delivery of products in Poland and all around European Union.

For our regular clients we offer special discounts, as well as prolonged payment dates.

We invite you to find out more about our offer. Our staff is at your disposal from Monday till Friday from 8:00 to 16:00.



SINCE 1994
TOMPLAST



**SPACERS FOR CONSTRUCTION
INDUSTRY**

SPACERS FOR CONSTRUCTION
INDUSTRY

REGULAR TRAPEZE LINEAR SPACER – plain concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
20	1135	2580	5020
25	1125	1875	5025
30	1050	1400	5030
35		1170	5035
40	925	925	5040
45	1037	810	5045
50	962	650	5050
55	1003	590	5055
60	950	500	5060
70	1000	470	5070

Length L=50cm

cover in mm	weight kg/pallet	qty/pallet	art. no
20	1135	5160	525-20
25	1125	3750	525-25
30	1050	2800	525-30
40	925	1850	525-40
45	1037	1620	525-45
50	962	1300	525-50
55	1003	1180	525-55
60	950	1000	525-60
70	1000	940	525-70

Length L=25cm

REGULAR TRAPEZE LINEAR SPACER – double bar concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
20	1176	2580	550-20
25	1155	1875	550-25
30	1072	1400	550-30
40	940	925	550-40
45	1050	810	550-45
50	974	650	550-50
55	1009	590	550-55
60	954	500	550-60
70	1000	470	550-70

Length L=50cm

cover in mm	weight kg/pallet	qty/pallet	art. no
20	1176	5160	2108
25	1155	3750	2109
30	1072	2800	2110
40	940	1850	2112
45	1050	1620	2113
50	974	1300	2114
55	1009	1180	2115
60	954	1000	2116
70	1000	940	2117

Length L=50cm

BANANA - ribbed concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
25	633	1150	3000
30	825	1100	3001
40	1120	800	3003
50	960	750	3004

Length L=67cm

BANANA - smooth concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
30	825	800	300100

Length L=67cm

BANANA - double bar concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
25	639	1150	3000 V
30	829	1100	3001 V
40	1123	800	3003 V
50	961	750	3004 V

Length L=67cm

SQUARE LINEAR - plain concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
40	1028	300	40100

Length L=100cm

ZIG ZAG - concrete spacer

cover in mm	weight kg/pallet	qty/pallet	art. no
30	710	750	8030
35	700	700	8035
40	760	600	8040
50	860	500	8050
60	800	330	8060
70	770	275	8070

Length L=75cm

BLOCK - concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	800	35	1300
25	600	35	1301
30	500	35	1302
40	250	35	1304
50	200	35	1306
70	100	35	1309

SINGLE CONCRETE SPACER with straight wire

cover in mm	qty/pack	qty: bags/pallet	art. no
20	800	35	1201
25	600	35	1202
30	500	35	1204
40	250	35	1206
50	200	35	1208
70	100	50	1210

SINGLE CONCRETE SPACER with clip

cover in mm	qty/pack	qty: bags/pallet	art. no
20	800	35	1501
25	600	35	1502
30	500	35	1504
35	300	35	1505
40	250	35	1506
45	250	35	1507
50	200	35	1508
55	200	35	1509
60	100	50	1503
65	100	50	1511
70	100	50	1510

SINGLE CONCRETE SPACER with loop wire

cover in mm	qty/pack	qty: bags/pallet	art. no
20	800	35	1601
25	600	35	1602
30	500	35	1604
35	300	35	1605
40	250	35	1606
45	250	35	1607
50	200	35	1608
55	200	35	1609
60	100	50	1603
65	100	50	1611
70	100	50	1610

BONE - concrete spacer with tie wire

cover in mm	qty/pack	qty: bags/pallet	art. no
20/25/30	600	40	1004
35/40/50	250	40	1002

BONE - concrete spacer without tie wire

cover in mm	qty/pack	qty: bags/pallet	art. no
25/20/30	600	40	1003
35/40/50	250	40	1001

MERCEDES - straight wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	1450
25	300	60	1451
30	250	55	1452
35	250	55	1453
40	250	40	1454
45	250	40	1455
50	200	40	1456

MERCEDES - concrete spacer with clip

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	1550
25	300	60	1551
30	250	55	1552
35	250	55	1553
40	250	40	1554
45	250	40	1555
50	200	40	1556

MERCEDES - loop wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	1650
25	300	60	1651
30	250	55	1652
35	250	55	1653
40	250	40	1654
45	250	40	1655
50	200	40	1656

SQUARE - straight wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	1421
25	300	60	1422
30	250	55	1423
35	250	55	1424
40	250	40	1425
45	250	40	1427
50	200	40	1426

SQUARE - concrete spacer with clip

cover in mm	qty/pack	qty: bags/pallet	art.no
20	300	60	1521
25	300	60	1522
30	250	55	1523
35	250	55	1524
40	250	40	1525
45	250	40	1527
50	200	40	1526

SQUARE - loop wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	1621
25	300	60	1622
30	250	55	1623
35	250	55	1624
40	250	40	1625
45	250	40	1627
50	200	40	1626

SINGLE ROUND CONCRETE SPACER with straight wire

cover in mm	qty/pack	qty: bags/pallet	art. no
20	250	40	1410
25	250	40	1411
30	250	40	1412
35	250	40	1413
40	250	40	1414

SINGLE ROUND CONCRETE SPACER with clip

cover in mm	qty/pack	qty: bags/pallet	art. no
20	250	40	1430
25	250	40	1431
30	250	40	1432
35	250	40	1433
40	250	40	1434

SINGLE ROUND CONCRETE SPACER with loop wire

cover in mm	qty/pack	qty: bags/pallet	art. no
20	250	40	1400
25	250	40	1401
30	250	40	1402
35	250	40	1403
40	250	40	1404

BFK - straight wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	600	40	BFK 20 WIRE
25	500	40	BFK 25 WIRE
30	400	40	BFK 30 WIRE
35	400	40	BFK 35 WIRE
40	300	40	BFK 40 WIRE
45	300	40	BFK 45 WIRE
50	300	40	BFK 50 WIRE
55	200	40	BFK 55 WIRE
60	150	40	BFK 60 WIRE

BFK - concrete spacer with clip

cover in mm	qty/pack	qty: bags/pallet	art. no
20	600	40	BFK 20
25	500	40	BFK 25
30	400	40	BFK 30
35	400	40	BFK 35
40	300	40	BFK 40
45	300	40	BFK 45
50	300	40	BFK 50
55	200	40	BFK 55
60	150	40	BFK 60

BFK - loop wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	600	40	BFK 20 LOOP
25	500	40	BFK 25 LOOP
30	400	40	BFK 30 LOOP
35	400	40	BFK 35 LOOP
40	300	40	BFK 40 LOOP
45	300	40	BFK 45 LOOP
50	300	40	BFK 50 LOOP
55	200	40	BFK 55 LOOP
60	150	40	BFK 60 LOOP

DK4 - straight wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	DK4-20 WIRE
25	300	60	DK4-25 WIRE
30	250	55	DK4-30 WIRE
35	250	45	DK4-35 WIRE
40	250	40	DK4-40 WIRE
50	200	40	DK4-50 WIRE

Dk4 - 4-point concrete spacer with clip

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	DK4-20
25	300	60	DK4-25
30	250	55	DK4-30
35	250	45	DK4-35
40	250	40	DK4-40
50	200	40	DK4-50

Dk4 - 4-point loop wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	300	60	DK4-20 LOOP
25	300	60	DK4-25 LOOP
30	250	55	DK4-30 LOOP
35	250	45	DK4-35 LOOP
40	250	40	DK4-40 LOOP
50	200	40	DK4-50 LOOP

DK-R - 3-point straight wire concrete spacer

cover in mm	qty/pack	qty: bags/pallet	art. no
20	600	40	DK-R 20 WIRE
25	500	40	DK-R 25 WIRE
30	400	40	DK-R 30 WIRE
35	400	40	DK-R 35 WIRE
40	300	40	DK-R 40 WIRE
45	300	40	DK-R 45 WIRE
50	300	40	DK-R 50 WIRE
55	200	40	DK-R 55 WIRE
60	150	40	DK-R 60 WIRE

DK-R - 3-point concrete spacer with clip

cover in mm	qty/pack	qty: bags/pallet	art. no
20	600	40	DK-R 20
25	500	40	DK-R 25
30	400	40	DK-R 30
35	400	40	DK-R 35
40	300	40	DK-R 40
45	300	40	DK-R 45
50	300	40	DK-R 50
55	200	40	DK-R 55
60	150	40	DK-R 60

DK-R - 3-point loop wire concrete spacer


cover in mm	qty/pack	qty: bags/pallet	art. no
20	600	40	DK-R 20 LOOP
25	500	40	DK-R 25 LOOP
30	400	40	DK-R 30 LOOP
35	400	40	DK-R 35 LOOP
40	300	40	DK-R 40 LOOP
45	300	40	DK-R 45 LOOP
50	300	40	DK-R 50 LOOP
55	200	40	DK-R 55 LOOP
60	150	40	DK-R 60 LOOP

CONCRETE DISC - concrete spacer for slurry walls

cover in mm	hole dia. weight	qty item/pallet	art. no
70x140	15	400	5000

* Products marked with bright colour are available upon request by phone.

TOMPLAST SINCE 1994



REINFORCEMENT ACCESSORIES

**REINFORCEMENT
ACCESSORIES**

"Barrel" spacer

cover in mm	bar dia. in mm	qty item/pack.	art. no
15/20/25	4-12	500	345-15
20/25/30/35	4-20	500	542-51
35/40/45/50	4-20	100	535-50/100

"Floor" spacer

cover in mm	bar dia. in mm	qty item/pack.	art. no
10	6-16	500	344-10
15	6-16	500	344-15
20	6-16	500	344-20
25	6-16	500	344-25
30	6-16	500	344-30

Star spacer UNI

cover in mm	bar dia. in mm	qty item/pack.	art. no
20	4-12	500	340-20
25	4-12	500	340-25
25	8-16	500	340-25 D
30	4-16	500	340-30
35	4-16	250	340-35
40	5-20	250	340-40
50	8-20	250	340-50

Linear ZZ spacer

cover in mm	qty m/pack.	qty m/pallet	art. no
15	100	5000	351-15
20	100	5000	351-20
25	100	5000	351-25
30	100	5000	351-30
35	80	3200	351-35
40	80	3200	351-40
50	80	3840	351-50

Linear AL spacer

cover in mm	qty m/pack.	qty m/pallet	art. no
20	100	4800	350-20
25	100	4200	350-25
30	100	4200	350-30
35	60	2880	350-35
40	60	2400	350-40
50	60	1440	350-50

Linear TP spacer

cover in mm	qty m/pack.	qty m/pallet	art. no
20	100/50 mb	5500/4000	TP 20
25	100/50 mb	4500/2800	TP 25
30	100/50 mb	4000/2800	TP 30
35	100/50 mb	3500/2700	TP 35
40	100/50 mb	2400/1800	TP 40
50	100/50 mb	1800/1200	TP 50

"SNAKE" - wire spacer

height in mm	qty ./pallet	mb/pallet	art. no
6	30	1200	330-06
7	30	1200	330-07
8	30	1200	330-08
9	30	1200	330-09
10	30	1200	330-10
11	30	960	330-11
12	30	960	330-12
13	30	960	330-13
14	30	960	330-14
15	30	600	330-15
16	30	600	330-16
18	30	600	330-18
20	30	600	330-20

Długość L=2,4m

Tie wire coils

type	dia. in mm	weight kg/pack.	art. no
DW12	1,20	30	570-12
DW14	1,40	30	570-14
DW16	1,60	30	570-16
DW20	2,00	30	570-20
DW30	3,00	30	570-30
DW40	4,00	30	570-40

Tire wire skein

type	dia. in mm	weight kg/pack.	art. no
DW14	1,40	20	571-14
DW14 ocynk	1,40	20	571-14 ocynk

Reinforcement pincers

type	length	cut max. dia. mm	art. no
KNIPLEX	300	2,5	570-280
STUBAI	280	2,5	570-281

Bolt cutter

type	length	max. bar diameter	art. no
KING TONY	600 mm	10	KING-6131-24
KING TONY	750 mm	13	KING-6131-30
KING TONY	900 mm	16	KING-6131-36

Manual bar bender


type	max. bar diameter	art. no
Manual bar bender	10	001069
Manual bar bender	14	001070
Manual bar bender	16	001068

Rebar tying hook

type	weight	art. no
Rebar tying hook	0,55 kg	853

TOMPLAST

SINCE 1994



CARPENTRY ACCESSORIES

CARPENTRY
ACCESSORIES

Tie rod PVC pipe - RSR

internal dia. in mm	weight kg/pack.	qty m/pack.	art. no
22	9,4	50	360-22

Length L=2m

Formwork spacer OKTAGON

wall width (mm)	qty/pack	qty/pallet (pcs)	art. no
200	150	6000	000822
250	100	4000	000823
300	100	4000	000909

Internal diameter = 22mm

Cone for PVC pipe

tube dia. in mm	weight kg/pack.	qty m/pack.	art. no
22	2,46	500	361-22

Pipe cone

external dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	3,2	125	363-04

Architectural concrete cone with gasket

external dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	1,3	500	361-23

Korek betonowy 22/50

dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	19,1	500	462-50

Korek betonowy 22/20

dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	17	1000	462-20

Korek STOPPER IN

dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	6,25	250	906

Concrete pipe end gasket

tube dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	0,47	500	362-01

Concrete cone

tube dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	4,4	150	4622

Concrete and PVC pipe connector

tube dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	0,93	500	362-02

Application: combining of concrete pipes 22/40 and RSR, PVC pipes

PVC pipe plug - ST

plug for	weight kg/pack.	qty pcs/pack.	art. no
RSR	1,14	500	363-01

RSR pipe section along with FLUPP plug and ST plug

FLUPP rubber plug

tube dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
22	2,9	500	310-22

Application: watertight closing of RSR pipe

Concrete pipe

dia. in mm	weight kg/pack.	qty m/pallet	art. no
22/40	2,4	500	460-22

Length L=1.25m

STOPPER MAXI plug

diameter	weight kg/pack	pcs./pack	art. no
22	8,75	250	907

DREIKANT triangular board

A	B	qty m/pack	art. no
11	15,5	100	321-11
15	21,2	100	321-15
20	28,3	100	321-20
25	35,4	100	321-25
30	42,2	50	321-30

DREIKANT triangular board with strap

A	B	C	qty m/pack	art. no
11	15,5	26	100	320-11
15	21,2	32	100	320-15
20	28,3	37	100	320-20
25	36,1	46	50	320-25
30	42,4	53	50	320-30

STRECKMETALL

thickness in mm	length in mm	width in mm	art. no
0,30	2500	600	203-30

Trapezoid STRECKMETALL

thickness in mm	length in mm	width in mm	art. no
0,7	2250	800	208-80
0,7	2250	1000	205-100
0,7	2250	1200	205-120

Bentonite swelling tape 10-15

tape type	width in mm	qty in m/roll	art. no
BT 10-15	10x15	6	201-01
BT 20-25 S	20x25	5	201-02
BT 20-25 S+	20x25	5	201-03

Bentonite swelling tape BT 20-25 S that offers improved swelling comparing to traditional products.

Bentonite swelling tape BT 20-25 S plus covered with 100% organic film to extend swelling time.
Mounting of Bentonite tape is recommended with special steel mesh available in 1m sections.

Mounting grid for bentonite swelling tape

type	width in mm	length in mm	art. no
BTS	27	100	202-01

Injection tube

type	qty m/pack	art. no
single-channel	100	204-01

Double-component adhesive for concrete plugs

coverage kg/1000 items	weight kg/set.	package	art. no
7	5	A + B	461-00

A=2,2kg B=1,3kg

RATIO: 2.2 : 1.3

ISUM POLY 35 600ml - polyurethane sealant

volume	art. no
600 ml	000885

ISUM POLY 35 is a permanent elastic one-component polyurethane adhesive-sealant designed for filling expansion joints. It is characterized by high strength, flexibility after hardening and resistance to weather conditions, moisture and vibrations. In addition, it has very good adhesion to typical surfaces used in construction such as steel, aluminium, concrete, wood and glass.

Formwork plug

external dia. in mm	weight kg/pack.	qty pcs/pack.	art. no
18	1,50	500	363-05
20	1,56	500	363-04
22	1,68	500	363-03

Zastosowanie: zaślepianie wolnych otworów na ściąg przelotowe w szalunkach typu ULMA, PERI, DOKA, HUNNEBECK.

Formwork plug

diameter in mm	weight kg/pack	pcs/pack	art. no
22-25	1,4	500	704

CENTRA – formwork limiting barrier

bar dia. in mm	weight kg/pack.	qty item/pack	art. no
30/50	1,67	500	370-30

Protective cap

type	qty pcs/pack.	art. no
SKA 8/36	250	123-01

Release agent

name	package	art. no
EKO-BET	20/210/1000 l	131-01

Barrel pump

cycles	capacity	art. no
55/min	0,35 L	671

Height 0,9 m

For barrels: 50 L, 100 L, 200 L

Plastic sprayer for form release agent

capacity	art. no
9	132-02

Disk nut

type	ø nut in mm	height in mm	art. no
TN 70/15	70	53	566-70
TN 90/15	90	53	566-90
TN 100/15	100	53	566-100
TN 110/15	110	53	566-110

Hexagon nut

type	length in mm	weight kg/item	art. no
SN 30/15	30	0,12	567-30
SN 50/15	50	0,18	567-50
SN 70/15	70	0,24	567-70
SN 105/15	105	0,40	567-105

Wing nut

type	length in mm	weight kg/item	art. no
SW -01	27	0,19	562-01

Hinged nut

type	ø in mm	weight kg/item	art. no
D15	120X120	1,22	562-12

PWG water wall

type	width in mm	size in mm	art. no
PWG 110/15	130	ø110	569-110

Kobold B15

type	weight	art. no
Fastening element	0,530	000810
Holder	0,015	000165

Spring clip

ø bar in mm	size in mm	weight kg/item	art. no
5-10	120x75	1,22	560-75

Spring clip tensioner

ø bar in mm	material steel	weight kg/item	art. no
5-12	galvanized	3,52	561-01

Threaded tie D15 unweldable

thread type	ø core in mm	ø outer in mm	art. no
D15	15	17	564-15
DS15	15	17	565-15

Corrugated anchor

type	length in mm	weight kg/item	art. no
KF 55/15	550	0,77	565-150

Hook anchor

type	length in mm	weight kg/item	art. no
KH 25/15	250	0,60	565-151
KH 45/15	450	0,93	565-152

Loop anchor

type	length in mm	weight kg/item	art. no
KU 55/15	550	1,95	565-153

Nails

dia. in mm	length in mm	weight kg/pack	art. no
1,40	25	5	GWO 2514
1,60	25	5	GWO 2516
2,00	50	5	GWO 5020
2,20	50	5	GWO 5022
2,80	65	5	GWO 6528
3,00	80	5	GWO 8030
4,00	100	5	GWO 10040

Cartridge nails

dia. in mm	qty item/pack.	load recommended (kN)	art. no
42	100	1,7	TDM42
47	100	1,7	TDM47
52	100	1,7	TDM52
57	100	1,7	TDM57

Hardened nails for concrete

diameter (mm)	length (mm)	qty/pack.	art. no
3,5	35	250	THMN35035WK
3,5	45	250	THMN35045WK
3,5	50	250	THMN35050WK
3,5	55	250	THMN35055WK
3,5	65	250	THMN35065WK
3,5	70	250	THMN35070WK
3,5	75	250	THMN35075WK
3,5	80	250	THMN35080WK

Screw anchor for fastening in concrete

type	diameter	height	art. no
8	10	50	TAB10100H
10	12	70	TAB12100H
12	14	85	TAB14100H

Cartridge nail magazine

cartridge nail size	colour	qty item/pack.	art. no
6,8/11	red	100	TCRM

Cartridge nail magazine – disk

cartridge nail size	color	qty item/pack.	nr artykułu
6,3/12	red	100	TDL12CR

Poplar plywood

thickness	dimensions	weight	art. no
21 mm	1250x2500 mm	11,20 kg/m ²	SKL 21

Concrete resin

capacity ml	qty item /pack	purpose	art. no
380	12	threaded and reinforcing bars	TCM380 PRO
400	10	threaded and reinforcing bars, to be used underwater also	TCM400 PE
380	10	threaded bars	TCM380 EA
380	12	threaded bars, temp. up to -10°C	TCM380C PRO

Polyurethane foam

type	capacity in ml	qty item/pack.	art. no
pistoletowa *	750	12	PIA PIST
wężykowa *	750	16	PIA WEŻ

For summer and winter application (up to -10°C)

Protective gloves

name	package	art. no
Dragon	12/120	999-07
RLCJ	12/120	999-02

Roofing hammer

type	weight	art. no
Młotek MONOBLOK	0,6 kg	000962

- head with magnet
- handle sheathed in rubber
- lenght=330mm

Wooden measure 2m

length	width	art. no
2 m	16 mm	000992

Retractable tape measure

length	type	material	art. no
3 m	retractable	steel tape	000903
5 m	retractable	steel tape	910
8 m	retractable	steel tape	1064

Foam gun

type	art. no
Foam gun	PDP-02

Silicon gun

article	art. no
Silicon gun	WYCISK SILIK PROF11

Technical chalk



colour	dimensions (mm)	pcs/pack	art. no
white	12 x 120	12	K-02
yellow	12 x 120	12	K-01
red	12 x 120	12	K-03

Steel cutting disc



dimensions*	qty item/pack.	cutting material	art. no
115/1,0/22,2	25	steel	TAMF115/1,0C
125/1,0/22,2	25	steel	TAMF125/1,0C
125/1,6/22,2	25	steel	TAMF125/1,6C
125/3,2/22,2	25	steel	TAMF125/3,2C
230/2,0/22,2	25	steel	TAMF230/2,0C
230/3,2/22,2	25	steel	TAMF230/3,2C
230/2,0/22,2	25	improved steel	TSSF230/2,0C
230/3,2/22,2	25	concrete	TACF230/3,2C


* diameter /thickness /opening diameter

Diamond disc



type	nut diameter	use	art. no
125/22,5	80	concrete, reinforced concrete, granite	TDOL125
230/22,5	80	concrete, reinforced concrete, granite	TDOL230

SINCE 1994
TOMPLAST



**REBENDABLE
REINFORCEMENT SYSTEM**


**REBENDABLE
REINFORCEMENT SYSTEM**

Reinforcement continuity bars– S type



B mm	steel mm	span cm	art. no
110	8	15	S 110-8/15
110	8	20	S 110-8/20
110	8	25	S 110-8/25
110	10	10	S 110-10/10
110	10	15	S 110-10/15
110	10	20	S 110-10/20
110	12	15	S 110-12/15
110	12	20	S 110-12/20
140	8	15	S 140-8/15
140	8	20	S 140-8/20
140	8	25	S 140-8/25
140	10	10	S 140-10/10
140	10	15	S 140-10/15
140	10	20	S 140-10/20
140	12	15	S 140-12/15
140	12	20	S 140-12/20
160	8	15	S 160-8/15
160	8	20	S 160-8/20
160	8	25	S 160-8/25
160	10	10	S 160-10/10
160	10	15	S 160-10/15
160	10	20	S 160-10/20
160	12	15	S 160-12/15
160	12	20	S 160-12/20
190	8	15	S 190-8/15
190	8	20	S 190-8/20
190	8	25	S 190-8/25
190	10	10	S 190-10/10
190	10	15	S 190-10/15
190	10	20	S 190-10/20
190	12	15	S 190-12/15
190	12	20	S 190-12/20
240	8	15	S 240-8/15
240	8	20	S 240-8/20
240	8	25	S 240-8/25
240	10	10	S 240-10/10
240	10	15	S 240-10/15
240	10	20	S 240-10/20
240	12	15	S 240-12/15
240	12	20	S 240-12/20

TOMPLAST SINCE 1994




**TAPES FOR DILATATION
JOINTS**

**TAPES FOR DILATATION
JOINTS**

Interior joint tapes




A	F	pack. m/roll	art. no
100	10	25	A 100
120	10	25	A 120
150	10	25	A 150
200	10	25	A 200
240	10	25	A 240
320	10	25	A 320
500	10	25	A 500



Interior joint filler tapes for expansion joints




A	F	pack. m/roll	art. no
120	10	25	D 120
150	10	25	D 150
200	10	25	D 200
240	10	25	D 240
320	10	25	D 320
350	10	25	D 350
500	10	25	D 500



Exterior joint filler tapes for construction joints




A	F	pack. m/roll	art. no
200	20	25	AA 200
250	25	25	AA 250
250	35	25	AA 250/35
320	25	25	AA 320
320	35	25	AA 320/35
500	20	25	AA 500
500	35	25	AA 500/35



Exterior joint filler tapes for expansion joints




A	F	pack. m/roll	art. no
200	20	25	AD 200
250	25	25	AD 250
250	35	25	AD 250/35
320	25	25	AD 320
320	35	25	AD 320/35
500	20	25	AD 500
500	35	25	AD 500/35



VB joint sheet metal



type	a (mm)	art. no
160VB1	20 mb	VB160/1
FradiFlex h-150	25 mb	VB163/1
FradiFlex h-120	25 mb	FFBRE122500BW



Mounting bracket

type	weight	art. no
Mounting bracket	0,10 kg	00538

SINCE 1994
TOMPLAST



CARDBOARD COLUMN FORM

**CARDBOARD
COLUMN FORM**

MONOTUB DD – spiral round formwork

diameter in mm	wall thickness in mm	pipe weight kg/m.	art. no
152	3	1,3	900-152
202	3	1,7	900-202
250	3	2,1	900-250
300	3	2,5	900-300
350	4	3,6	900-350
400	4	4,4	900-400
450	4	4,6	900-450
500	4	5,1	900-500
550	5	6,3	900-550
600	5	6,9	900-600
700	5	8,0	900-700
800	5	9,3	900-800
900	6	10,3	900-900
1000	6	11,5	900-000
1200	6	13,7	900-200

MONOTUB DD – smooth round formwork

diameter in mm	wall thickness in mm	pipe weight	art. no
202	3	1,7	910-202
250	3	2,1	910-250
300	3	2,5	910-300
350	4	3,6	910-350
400	4	4,4	910-400
450	4	4,6	910-450
500	4	5,1	910-500
550	5	6,3	910-550
600	5	6,9	910-600
700	5	8,0	910-700
800	5	9,3	910-800
900	6	10,8	910-900
1000	6	12,2	910-000

SINCE 1994
TOMPLAST



CONSTRUCTION EQUIPMENT

**CONSTRUCTION
EQUIPMENT**

Concrete bucket with vertical outlet

available capacity in m3	art. no
0,6	ZB-0,6
0,7	ZB-0,7
1,0	ZB-1,0
1,5	ZB-1,5

Concrete bucket with side outlet

available capacity in m3	art. no
0,7	ZB-0,7S
1,0	ZB-1,0S
1,5	ZB-1,5S

Concrete bucket with platform and vertical outlet

available capacity in m3	art. no
0,7	ZB-0,7/PODEST
1,0	ZB-1,0/PODEST
1,5	ZB-1,5/PODEST

Concrete bucket with platform and side outlet

available capacity in m3	art. no
0,7	ZB-0,7S/PODEST
1,0	ZB-1,0S/PODEST
1,5	ZB-1,5S/PODEST

Concrete bucket sleeve

available diameters in mm	art. no
220	R 220
280	R 280
320	R 320

Tipping builder skip

available capacity in m3	art. no
1,0	ZB-1,0/GRUZ
1,2	ZB-1,2/GRUZ
1,5	ZB-1,5/GRUZ





■ **Seat of the firm Warszawa**

ul. Modlińska 288, 03-152 Warszawa
 phone: +48 (22) 614 92 05
 phone/fax +48 (22) 614 93 70
 mobile: +48 697 170 567
 email: biuro@tomplast.com.pl
 email: g.michalski@tomplast.com.pl

■ **Sales branch Wrocław**

■ **Manufacturing plant Gąsiorowo**

www.tomplast.com.pl